

# LIST OF FIGURES

Figure 1.1	Thesis research process . . . . .	32
Figure 1.2	Discontinuity in complexity, risk, and cost at each TRL . . . . .	39
Figure 1.3	Thesis roadmap . . . . .	44
Figure 3.1	Overview of the scientific method by Gauch . . . . .	74
Figure 4.1	The five flight-qualified SPHERES nano-satellites . . . . .	100
Figure 4.2	SPHERES operational concept . . . . .	101
Figure 4.3	SPHERES satellite . . . . .	103
Figure 4.4	SPHERES avionics overview . . . . .	105
Figure 4.5	SPHERES software layers . . . . .	109
Figure 4.6	SPHERES operations overview . . . . .	111
Figure 4.7	SPHERES nano-satellite structural design . . . . .	114
Figure 4.8	Iterative research process for SPHERES . . . . .	118
Figure 4.9	GSP iterative research loop . . . . .	121
Figure 4.10	MIT SSL on-site iterative research loop . . . . .	123
Figure 4.11	MIT SSL off-site iterative research loop . . . . .	124
Figure 4.12	ISS iterative research process . . . . .	127
Figure 4.13	SPHERES programs composition . . . . .	130
Figure 4.14	SPHERES satellites initialization . . . . .	134
Figure 4.15	Accelerometer and gyroscope measurements in micro gravity . . . . .	140
Figure 4.16	Global metrology system time-of-flight distance measurements . . . . .	142
Figure 4.17	Measuring the state vector with the layered metrology system . . . . .	143
Figure 4.18	Differential measurements between two satellites. . . . .	144
Figure 4.19	Sample real-time and post-test data telemetry algorithms . . . . .	146
Figure 4.20	High priority scheduling of system timing and controller interrupts . . . . .	152
Figure 4.21	Test synchronization via communications. . . . .	153
Figure 4.22	Test synchronization to within 1ms . . . . .	154
Figure 4.23	SPHERES GUI for ground-based operations . . . . .	156
Figure 4.24	ISS astronaut interface . . . . .	158

Figure 4.25	SCS interfaces to user code, DSP/BIOS, and hardware . . . . .	170
Figure 4.26	GSP simulation window . . . . .	174
Figure 4.27	SPHERES satellite expansion port face (without cover) . . . . .	178
Figure 4.28	SPHERES expansion port design overview . . . . .	179
Figure 4.29	SPHERES -X "docking face" . . . . .	185
Figure 4.30	FLASH memory map . . . . .	193
Figure 5.1	The iterative research process . . . . .	204
Figure 5.2	Smoothing TRL transitions . . . . .	216
Figure 5.3	Design principles application strategy . . . . .	225
Figure 5.4	General trend of cost J using cost function 5.1 . . . . .	231
Figure 5.5	Achieving effective iterations though flexible scheduling. . . . .	235
Figure 5.6	Value curves for ISS unique resources . . . . .	240
Figure 5.7	Two paths to flight operations . . . . .	243
Figure 6.1	Z-axis inertia estimate from ground-based tests . . . . .	261
Figure 6.2	Sample results of docking algorithms at the MIT SSL . . . . .	262
Figure 6.3	Five satellite TPF maneuvers at the MSFC Flat Floor . . . . .	263
Figure 6.5	Artist's conception of MOSR aboard the ISS . . . . .	265
Figure 6.4	Two and three satellite tethered setups at the MSFC Flat Floor . . . . .	265
Figure 6.6	Fractional cost of enabling multiple areas of study . . . . .	271
Figure 6.7	KC-135 iterative research loop . . . . .	275
Figure 6.8	MSFC Flat Floor iterative research loops . . . . .	278
Figure 6.9	Effectiveness of iterations with SPHERES . . . . .	280
Figure 6.10	SPHERES Functional Requirements . . . . .	297
Figure 7.1	SPHERES operations aboard the KC-135 RGA . . . . .	320
Figure B.1	ZARM drop tower . . . . .	358
Figure B.2	NASA Neutral Buoyancy Laboratory . . . . .	359
Figure B.3	NASA KC-135 airplane and flight path . . . . .	362
Figure B.4	Space Shuttle payload bay and middeck . . . . .	364
Figure B.5	The ISS on October 2002 . . . . .	369
Figure B.6	US Skylab . . . . .	372
Figure B.7	The MIR Space Station . . . . .	375

Figure C.1	Antarctic research stations	380
Figure C.2	WHOI research vessels Knorr (left) and Alvin	388
Figure D.1	The ISS at US Core Complete	394
Figure D.2	US Destiny laboratory	398
Figure D.3	US Centrifuge Accommodation Module	398
Figure D.4	US Truss Attachment Points (4)	399
Figure D.5	Japanese Experiment Module	400
Figure D.6	Columbus Module	400
Figure E.2	MODE Structural Test Article with Alpha joint	411
Figure E.1	MODE Experiment Support Module w/ Fluid Test Article	411
Figure E.3	DLS handhold and foot restraint	412
Figure E.4	MACE operations on shuttle mid-deck	415
Figure E.5	MACE Experiment Support Module	415
Figure E.6	MACE operations aboard the ISS	419
Figure F.1	SPHERES avionics overview	423
Figure F.2	Power sub-system functional block diagram	425
Figure F.3	Propulsion spike and hold timing diagram	438
Figure F.5	Propulsion spike and hold circuit	439
Figure F.4	Propulsion avionics functional block diagram	439
Figure F.6	SMT375 functional block diagram	447
Figure F.7	Metrology sub-system functional block diagram	449
Figure F.8	FPGA firmware design	454
Figure F.9	US/IR boards functional block diagram	455
Figure F.10	Ultrasound amplification schematic	455
Figure F.11	Communications sub-system functional block diagram	472
Figure F.12	Expansion port functional block diagram	482
Figure F.13	Laptop communications functional block diagram	488
Figure F.14	Metrology beacon functional block diagram	490
Figure F.15	Beacon tester functional block diagram	494
Figure F.16	Expansion port beacon functional block diagram	500
Figure F.17	Expansion port tether functional block diagram	504

Figure G.1	Satellite software components . . . . .	507
Figure G.2	SPHERES program development sequence . . . . .	508
Figure G.3	Boot loader transfer protocol . . . . .	510
Figure G.4	Boot loader transfer protocol error handling . . . . .	512
Figure G.5	Boot loader command/reply packets . . . . .	512
Figure G.6	Boot loader first data packet structure . . . . .	513
Figure G.7	Boot loader general data packets structure . . . . .	514
Figure G.8	Master program state diagram . . . . .	515
Figure G.9	Satellite boot loader state diagram . . . . .	516
Figure G.10	Satellite boot loader general algorithm . . . . .	518
Figure G.11	SPHERES Core Software overview . . . . .	522
Figure G.12	SCS threads . . . . .	524
Figure G.13	SCS real-time clocks . . . . .	525
Figure G.14	SCS controller module threads and general algorithm . . . . .	531
Figure G.15	SCS controller state diagram . . . . .	532
Figure G.16	SCS propulsion module threads . . . . .	534
Figure G.18	Propulsion modulation options . . . . .	535
Figure G.17	Propulsion module timing diagram . . . . .	535
Figure G.19	SCS communications module threads . . . . .	537
Figure G.20	Communications data reception process . . . . .	539
Figure G.21	Communications data transmission process . . . . .	541
Figure G.22	SCS metrology module threads . . . . .	546
Figure G.23	SCS metrology module general algorithms . . . . .	548
Figure G.24	SCS metrology threads scheduling . . . . .	549
Figure G.25	SCS housekeeping module threads . . . . .	551
Figure G.26	SCS GSP module threads . . . . .	554
Figure H.1	DR2000 packet structure . . . . .	562
Figure H.2	SPHERES packet structure (n=32) . . . . .	566
Figure H.3	Packet transmission sequence . . . . .	568
Figure H.4	Time Division Multiple Access scheme . . . . .	570
Figure H.5	Packet acknowledgement sequence example (1 lost packet) . . . . .	573

---

Figure H.6 General purpose command structure . . . . .	574
Figure H.7 Initialization packet structure . . . . .	578
Figure H.8 Telemetry packet structure . . . . .	586

