

The problem of school bus routing has been addressed extensively (15, 16). It is typically decomposed into three main subproblems (Fig. 1 *D–F*): stop assignment (i.e., choosing locations where students will walk from their homes to get picked up); bus routing (i.e., linking stops together into bus trips); and bus scheduling (i.e., combining bus trips into a route that can be




Fig. 1. Geographic visualization of the school bus routing problem (and subproblems). (A) BPS 2017–2018 data (anonymized), with gray triangles representing students and blue pentagons representing schools. (B) Sample BPS routing solution, with schools as blue pentagons and bus stops as red squares; lines connect bus stops that are served in sequence by the same bus, illustrating the complexity of Boston school transportation. (C) Small synthetic district (three schools); students (triangles) are the same color as their assigned schools (pentagons). (D–F) Examples of the three main routing steps in this district: stop assignment (D), where students (triangles) attending the orange school (pentagon) are shown connected to their assigned stops (red squares); one-school routing (E), where all bus stops for the orange school are connected into bus trips; and bus scheduling between multiple schools (F), where three trips (one from each school) are connected into a single bus itinerary.

served by a single bus). State-of-the-art optimization algorithms exist for these subproblems in isolation (17, 18). However, the literature on optimally combining subproblem solutions is less extensive. Approaches typically involve formulating the school bus routing problem as a large combinatorial optimization problem, which can be solved using metaheuristics, including local search (19), simulated annealing (20), and special purpose vehicle routing heuristics (21, 22). Special purpose algorithms have also been designed to address variants of the school bus routing problem, allowing “mixed loads”—students from different schools riding the bus together (19, 22, 23), bus transfers (24), or arrival time windows (18–20, 23).

Unfortunately, many tractable general purpose algorithms do not consider additional constraints (fleet heterogeneity and student-specific needs) and thus, lack portability. Although an optimization framework to the school time selection problem (STSP) has been proposed (25), no existing algorithms address bell time selection in conjunction with bus routing (18).

This work presents a model for the STSP, allowing the joint optimization of school bell times with school bus routes. We first develop a school bus routing algorithm called biobjective routing decomposition (BiRD), which bridges the gap between standard subproblems to find better solutions. We then propose a mathematical formulation of the STSP, a multiobjective approach that can model any number of community objectives as well as transportation costs using BiRD.

BiRD outperforms state-of-the-art methods by 4–12% on average on benchmark datasets, and it allowed Boston Public Schools (BPS) to take 50 buses off the road and save almost \$5 million in the fall of 2017 without increasing the average student’s walking or riding times. Our modeling approach to the STSP along with the successful implementation of BiRD led the Boston School Committee to reconsider start time policies for the first time since 1990, unanimously approving a comprehensive reform prioritizing student health in December 2017. Our STSP model was used by BPS to evaluate the impact of many different scenarios and ultimately, propose bell times for all 125 BPS schools. These start times have not been implemented yet due to parents concern with the magnitude of the change, but our quantitative approach to evaluating policy trade-offs has informed the conversation about school start times both in Boston and across the nation.

School Transportation: A BiRD’s Eye View

Solving the school bus routing problem means assigning students to stops near their homes and selecting which bus will pick them up and in what order (keeping in mind that a bus only carries students for one school but can serve several schools in succession thanks to staggered bell times) in a way that minimizes the overall number of buses or another objective of interest. We show examples of a school district (BPS) in Fig. 1A and of a model school district that mimics the real setting in Fig. 1C and *SI Appendix, Fig. S2*.

The BiRD algorithm consists of several steps (Fig. 2), for which we develop optimization-based approaches implemented with modern software tools (26, 27) and tools available online (28). For clarity, we focus on the morning problem, but our algorithm generalizes to the afternoon (*SI Appendix*). Because problem details often vary between districts, it may be advantageous to adjust some steps to changes in the problem setting. BiRD’s defining feature is thus the decomposition of the problem and in particular, the scenario selection step, which bridges the gap between the single-school and multischool subproblems.

Single-School Problem. To assign students to stops (Fig. 1D), we use an integer optimization formulation of the assignment problem with maximum walking distance constraints. We minimize




Fig. 3. Bell time optimization. Comparison of three bell time optimization strategies on a synthetic district. When only three bell times are allowed, balancing the number of bus routes across bell times (A) works well but is typically beaten by routing compatibility optimization (B). Even better solutions can be obtained by allowing more bell times in the middle tier (C). In comparison, BPS bell times are not even balanced (D).

Formulating the STSP

Selecting bell times is a complex policy problem with many stakeholders. We first focus on the interplay with transportation, since computing school bus routes is a necessary component of bell time selection. For instance, it is of interest to evaluate transportation costs when each school S is assigned a particular bell time t_S . However, there are too many possibilities to explore in practice (exponential in the number of schools). Instead, we develop a general formulation for the STSP, which contains a tractable proxy for transportation cost constructed using BiRD. We show how to include other community objectives in the next section.

Transportation Costs. A key factor in an optimized school bus routing solution is the “compatibility” of pairs of trips (i.e., how easy it is for a single bus to serve them with minimum idle time in between). We define a trip compatibility cost that trades off (i) the feasibility of a bus serving the two trips sequentially and (ii) the amount of idle or empty driving time involved, with tradeoff parameters that depend on characteristics of the school district and can be found using cross-validation. Then, for any pair of schools S and S' , we can define a routing pairwise affinity cost $c_{S,t,S',t'}^{\text{routing}}$ that is the sum of the compatibility costs between every trip in every routing scenario for S at time t and S' at t' (SI Appendix).

Optimizing. Because its objective function only includes pairwise affinity costs, our model of the STSP is a special case of the generalized quadratic assignment problem (GQAP) (33). When different GQAP formulations for the STSP were investigated in ref. 25, even small instances could be intractable. We, therefore, develop a simple local improvement heuristic that works well in practice. Given initial bell times, we select a random subset of schools. The problem of finding the optimal start times for this subset while fixing all other schools’ start times is also a GQAP.

We can then solve this restricted GQAP problem using mixed integer optimization to obtain a new set of bell times in seconds for small-enough subsets. We repeat the operation with new random subsets until convergence. Results on synthetic data suggest

that a subset size of one gives near-optimal results if the local improvement heuristic is run several times with random starting points. We note that the heuristic is interpretable: with a subset size of n , a solution obtained after convergence can only be improved by changing the bell times of at least $n + 1$ schools.

Evaluating Three-Tier Systems. In many districts, such as Boston (Fig. 3D), start times are separated into three equally spaced “tiers” (e.g., 7:30, 8:30, and 9:30 AM). Such a system allows each bus to serve up to three schools every morning (34), and therefore, districts will typically try to balance the number of bus trips across all three tiers. Our method allows us to quantify the empirical behavior of this intuitive idea.

Simulations suggest that optimizing three-tier bell times using our algorithm (Fig. 3A) yields an 11% cost improvement over simply balancing the number of bus routes across tiers (Fig. 3B), which is already better than what school districts typically do (Fig. 3D). Distributing schools across tiers without accounting for geography/routing compatibility is suboptimal.

Furthermore, a three-tier system is not necessarily the right answer per se. Fig. 3C shows that allowing many possible start times for the middle tier (5-min intervals between 8:00 and 9:00 AM) can yield a 1–2% improvement over the standard three-tier optimized solution (Fig. 3B). Interestingly, no school starts at 8:30 AM in this system. Although tiered bell times are popular because of their simplicity, algorithmic tools, such as our tool, suggest that better solutions exist. For instance, in Boston, we can find a bell time solution that requires just 450 buses, which represents a 15% improvement over the number of buses obtained without changing the bell times and a 31% improvement over the number of buses used by BPS in the 2016–2017 school year.




Fig. 4. Equity and current start times in Boston. (A) Maps of Boston with neighborhoods shaded by median household income (American Community Survey) and average elementary start time. Elementary students start later in wealthier neighborhoods (0.78 correlation between household income and start time). (B) Proportion of high school students starting before each time in the morning (comparing economically disadvantaged students with other students). Start times skew early for economically disadvantaged high school students (χ^2 homogeneity P value $< 10^{-5}$). (C) BPS Community Survey response rate by school shown against the fraction of disadvantaged students attending the school. Economically fragile populations have a lower bell time survey response rate.




Fig. 5. Optimizing preferences is hard. (A) Tradeoff curve derived by our algorithm between preference score (metric of community satisfaction) (*SI Appendix*) and transportation cost along with three sets of bell times along the curve. Even a slight improvement in satisfaction comes at a high cost. (B) District-wide preference score of each bell time, showing that parents typically prefer from 8:00 to 8:30 AM start times, with high variance. (C) Distribution of parents' top bell time choice at a particular school (Boston Renaissance). Even within a single school, agreement is hard to come by: although the school's current start time is 7:30 AM, only 17% of parents list this time as their favorite.

Bell Times in Practice

In a real district, bell time selection goes far beyond minimizing the number of buses, which we found in our work with BPS. For context, Boston's existing bell time policy, enacted in 1990, split the public schools into three tiers with start times of 7:30, 8:30, and 9:30 AM, stipulating that tiers would rotate through the start times every 5 y. Unfortunately, this policy was never enforced, and the bell times assigned in 1990 mostly remain today.

These bell times are flawed. First, because they have remained static while school demographics have evolved, they have contributed to the steady rise of the BPS transportation budget over the last decade. Second, over 74% of high school students currently start school before 8:00 AM. Many studies have shown that the negative effects of early high school starts are magnified in economically fragile students (10). However, in Boston, such students have worse bell times, on average, than economically advantaged students (13). In Fig. 4, we see, for example, that economically disadvantaged high school students are more likely to start before 7:30 AM than other high school students.

Gridlock. The Boston status quo has persisted for decades despite its shortcomings. Indeed, bell time selection is intrinsically difficult, because stakeholders cannot agree on what is best for everyone. Fig. 5 *B* and *C* shows community preferences for different start times across all public schools obtained through a BPS survey. Although families and school staff tend to favor start times between 8:00 and 8:30 AM, the displayed preferences are mostly characterized by broad disagreement, even within a single school (Fig. 5*C*). Any bell time for any school is sure to have both fervent supporters and vehement critics.

School districts have no hope of satisfying all or even most of their constituents. Moreover, the cost of even trying to satisfy the individual preferences of parents and staff can be prohibitive: Fig. 5*A* shows that each additional point of community satisfaction in Boston can cost dozens of additional buses and tens of millions of taxpayer dollars.

For BPS, the tradeoff curve in Fig. 5*A* represented a paradigm shift, the first time that the district could visualize or even quantify any of the tradeoffs of bell time policy making. The curve illustrates our model's first use: providing a district the quantitative support necessary to understand the problem and make the best decision.

The Greater Good. Although stakeholders have many competing personal priorities, they often agree on broader goals, such as having fair and equitable bell times or reinvesting saved transportation costs into schools. Starting in 2016, BPS led an engagement process aimed at understanding broad community values. The results suggested four main objectives: to maximize how many high school students start after 8:00 AM, minimize how many elementary school students end after 4:00 PM, prioritize schools with high special education needs, and reinvest transportation savings into classrooms while achieving these objectives in an equitable manner.

In the general case, solving the STSP in practice means optimizing a set of several objectives, such as the ones outlined above. We call an objective GQAP representable if it can be represented using only single affinity costs $c_{S,t}$ (representing the aversion of school S for bell time t) and pairwise affinity costs $c_{S,t,S',t'}$. We find that the GQAP framework has sufficient modeling power to represent all of the objectives and constraints that interest school districts in general (*SI Appendix*) and Boston in particular.

Typically, school districts will wish to balance multiple GQAP-representable objectives, including transportation costs. As is usual in multiobjective optimization, we consider that the final cost function to optimize is a weighted average of the district's different (GQAP-representable) objectives, with weights indicating policy makers' priorities.

	Buses	Early HS	Late ES	Survey score	Bell time distribution
Current	650	74%	33%	48%	
NewRoutes	530	74%	33%	48%	
LowCost	450	43%	27%	37%	
MaxSurvey	934	0%	8%	56%	
Optimal	481	6%	15%	40%	

Fig. 6. Bell time selection tradeoffs. Sample of a few scenarios considered by BPS. Current start times (with or without new routes) have many high school students starting before 8:00 AM (Early HS) and elementary school students ending after 4:00 PM (Late ES), mediocre community satisfaction (survey score), and a suboptimal bell time distribution both in the morning and in the afternoon (histogram weighted by students: blue, morning; orange, afternoon). The three other scenarios present different tradeoffs between the bell time objectives—BPS chose the "Optimal" scenario.

We explored tens of thousands of tradeoffs for BPS, such as those presented in Fig. 6. We notice that, in Boston, reducing both the number of high school students starting too early and the number of elementary school students ending too late can be done at little to no cost.

Application in Boston. In December 2017, the Boston School Committee unanimously approved a new policy (35) stipulating that all future bell time solutions should optimize the verifiable criteria described above, paving the way for algorithmic bell time selection. Our flexible methodology allowed us to take into account a number of very specific constraints (e.g., preventing large neighboring high schools from dismissing at the same time, which could create unsafe situations at neighboring subway stations). In the end, the proposed bell times (Fig. 6) reduced the number of high school students starting before 8:00 AM from 74 to 6% and the number of elementary school students dismissing after 4:00 PM from 33 to 15%. The plan also led to an estimated reinvestment of up to \$18 million into classrooms. Because of the

significant amount of change under this new plan and in response to protests by some families, BPS delayed the plan's implementation to allow more time to adjust the objective weights and constraints. As BPS continues to gather community input, the legitimate concerns raised by these families can be modeled as objectives within our general formulation and integrated within our framework.

Ultimately, using an algorithm for bell time selection at the scale of a city allows leaders to thoroughly evaluate their options and empowers them to make decisions based not on the political whims of special interest groups but on an objective standard agreed on by the community.

ACKNOWLEDGMENTS. We express our admiration and respect for John Hanlon and Will Eger, whose single-minded devotion to public service should be an example to the world. We thank our partners at BPS for their tireless efforts on behalf of the children of Boston. Google Maps helped make this work possible by providing point-to-point travel time estimates for all locations in Boston. The Julia language and its JuMP extension for optimization significantly eased the implementation of our algorithms. We thank the editor and reviewers for many helpful suggestions.

- Carrell SE, Maghakian T, West JE (2011) A's from ZZZZ's? The causal effect of school start time on academic achievement of adolescents. *Am Econ J* 3:62–71.
- Curcio G, Ferrara M, De Gennaro L (2006) Sleep loss, learning capacity and academic performance. *Sleep Med Rev* 10:323–337.
- Owens JA, Belon K, Moss P (2010) Impact of delaying school start time on adolescent sleep, mood, and behavior. *Arch Pediatr Adolesc Med* 164:608–614.
- Chen X, Beydoun MA, Wang Y (2008) Is sleep duration associated with childhood obesity? A systematic review and meta-analysis. *Obesity* 16:265–274.
- Fredriksen K, Rhodes J, Reddy R, Way N (2004) Sleepless in Chicago: Tracking the effects of adolescent sleep loss during the middle school years. *Child Dev* 75:84–95.
- Danner F, Phillips B (2008) Adolescent sleep, school start times, and teen motor vehicle crashes. *J Clin Sleep Med* 4:533–535.
- Crowley SJ, Acebo C, Carskadon MA (2007) Sleep, circadian rhythms, and delayed phase in adolescence. *Sleep Med* 8:602–612.
- Wheaton AG, Ferro GA, Croft JB (2015) School start times for middle school and high school students—United States, 2011–12 school year. *Morb Mortal Wkly Rep* 64:809–813.
- Hafner M, Stepanek M, Troxel WM (2017) Later school start times in the US.: An economic analysis (RAND Corporation, Santa Monica, CA), Technical Report RR-2109-RE.
- Edwards F (2012) Early to rise? The effect of daily start times on academic performance. *Econ Educ Rev* 31:970–983.
- Wiggan G (2007) Race, school achievement, and educational inequality: Toward a student-based inquiry perspective. *Rev Educ Res* 77:310–333.
- Cohen GL, Garcia J, Apfel N, Master A (2006) Reducing the racial achievement gap: A social-psychological intervention. *Science* 313:1307–1310.
- Shuster R (2018) School bell times equity impact, 2017. Available at <https://www.bostonpublicschools.org/cms/lib/MA01906464/Centricity/Domain/2389/Equity%20Analysis.pdf>. Accessed February 27, 2019.
- Malone SK, Ziporyn T, Bутtenheim AM (2017) Applying behavioral insights to delay school start times. *Sleep Health J Natl Sleep Found* 3:483–485.
- Desrosiers J, Dumas Y, Solomon MM, Soumis F (1995) Time constrained routing and scheduling. *Handbooks Oper Res Manag Sci* 8:35–139.
- Park J, Kim B-I (2010) The school bus routing problem: A review. *Eur J Oper Res* 202:311–319.
- Schittkat P, Sevaux M, Sorensen K (2006) A mathematical formulation for a school bus routing problem. *Proceedings of the International Conference on Service Systems and Service Management (IEEE, Piscataway, NJ)*, Vol 2, pp 1552–1557.
- Fügenschuh A (2009) Solving a school bus scheduling problem with integer programming. *Eur J Oper Res* 193:867–884.
- Spada M, Bierlaire M, Liebling TM (2005) Decision-aiding methodology for the school bus routing and scheduling problem. *Transportation Sci* 39:477–490.
- Chen X, Kong Y, Dang L, Hou Y, Ye X (2015) Exact and metaheuristic approaches for a bi-objective school bus scheduling problem. *PLoS One* 10:e0132600.
- Bramel J, Simchi-Levi D (1995) A location based heuristic for general routing problems. *Oper Res* 43:649–660.
- Braca J, Bramel J, Posner B, Simchi-Levi D (1997) A computerized approach to the New York cityschool bus routing problem. *IIE Trans* 29:693–702.
- Park J, Tae H, Kim B-I (2012) A post-improvement procedure for the mixed load school bus routing problem. *Eur J Oper Res* 217:204–213.
- Bögl M, Doerner KF, Parragh SN (2015) The school bus routing and scheduling problem with transfers. *Networks* 65:180–203.
- Wenzel C (2016) Optimale Schulanfangszeiten zur Entlastung des Nahverkehrs in der Stadt Nuernberg [Optimal times for the beginning of schools to reduce the pressure on public transport in the City of Nuremberg] (Universität der Bundeswehr München, Neubiberg Germany). No. AMOS 42.
- Bezanson J, Edelman A, Karpinski S, Shah VB (2017) Julia: A fresh approach to numerical computing. *SIAM Rev* 59:65–98.
- Dunning I, Huchette J, Lubin M (2017) Jump: A modeling language for mathematical optimization. *SIAM Rev* 59:295–320.
- Arthur D, Martin S (2018) SchoolBusRouting repository. Available at <https://github.com/mitschoolbus/SchoolBusRouting>. Accessed February 27, 2019.
- Smith BM, Wren A (1988) A bus crew scheduling system using a set covering formulation. *Transportation Res A Gen* 22:97–108.
- Abdulkadiroğlu A, Pathak PA, Roth AE, Sönmez T (2005) The Boston public school match. *Am Econ Rev* 95:368–371.
- Pathak PA, Shi P (2013) Simulating alternative school choice options in Boston—Technical appendix (MIT School Effectiveness and Inequality Initiative, Cambridge, MA).
- O'Brien D (2017) MIT's "Quantum Team" wins first-ever BPS transportation challenge with revolutionary computer model. Available at <https://www.bostonpublicschools.org/site/default.aspx?PageType=3&DomainID=4&ModuleInstanceID=14&ViewID=6446EE88-D30C-497E-9316-3F8874B3E108&FlexDataID=12431>. Accessed February 27, 2019.
- Hahn PM, Kim B-J, Guignard M, Smith JMG, Zhu Y-R (2008) An algorithm for the generalized quadratic assignment problem. *Comput Optim Appl* 40:351–372.
- Owens J, Drobnič D, Baylor A, Lewin D (2014) School start time change: An in-depth examination of school districts in the United States. *Mind Brain Educ* 8:182–213.
- Sullivan EA (2017) Order on school start time realignment. Available at <https://www.bostonpublicschools.org/cms/lib/MA01906464/Centricity/Domain/162/starttimesmotion.pdf>. Accessed February 27, 2019.